WENZHOU FEIHUA PRINTING MACHINERY CO.,LTD

Add: No. 460, Jinhai 1st Road, Binhai industry Longwan, Whenzhou, Zhejiang

Web: www.newstar-machine.com/www.newstar-machinery.com

Tel: 86-577-86709268 Fax: 86-577-86709269



Company Introduction

Wenzhou Feihua Printing Machinery Co., Ltd. has more than 20 years of experience in post-press equipment manufacturing, specializing in the production of laminating machines, comprehensive coating machines and pre-coating films. A professional company integrating scientific research, design, manufacturing, and service, with the business tenet of "professionalism, focus, innovation, and service", scientific management, and strive to meet customer requirements to the greatest extent.

YFMB-950B/1100B Split Semi-automatic Film Laminating Machine



一、 Applications:

YFMB series is a practical semi-automatic laminating machine launched by our company, which is suitable for posters, books, information albums, posters, color boxes, color box packaging, handbags, etc.

\equiv : Technical parameters

项目 Item	单位 Unit	YFMB-950	YFMB-1100	
最大纸张幅面Max laminating	mm	920mm	1040mm	
paper				
最小纸张幅面 Min laminating	mm	210mm	210mm	
paper				
纸张厚度 Paper weight	克/平方 g/m²	100-500g/m²	100-500g/m²	
工作速度 Laminating speed	m/MIN	0-40m/min	0-40m/min	
整机功率 Power	kw	12KW	15KW	
外形尺寸 Overall Dimensions	mm	4600*1760*1500mm	4600*1960*1500mm	
机器重量 Toatl weight	kg	1900kg	2100kg	

三: Features

- 1. Large diameter heating roller 320mm.
- 2. High precision of chrome plated heating roller is equipped with built-in oil heating system, which has excellent performance to temperature control.
- 3. Split structure, the main machine and slitting machine have space to make it easier for operators to use and clean up the machine
- 4. Hydraulic pressuring system provides big and steady pressure to guarantee good laminating quality.
- 5. Pneumatic cutting system realizes automatic paper cut as long as the operator inputs the workable paper size on the text screen.
- 6. Equipped with automatic overlap front guage, combined paper feeding is simplified.
- 7. The main electrical appliances are imported to ensure the stable operation of the machine.
- 8. Anti-curvature device: when going through anti-curvature device, the laminated paper shall be leveled at once and wont curve again after cut.
- 9. Air expansion shaft releases film, and precisionizes film release, and also makes the loading and unloading of film roll more convenient.
- 10. Film cutter cuts film width to make it meet paper size. The cut film is left on the film release spindle.
- 11. Film perforating wheel perforates film edge for the automatic cut of laminated paper.
- 12. Equipped with a corrugated paper device, the paper output and collection are more smooth.

四: Main components

Series	Accessory Name	Brand	Origin	Note
1	Main motor reducer	4KW Gear reducer/Chengbang	Taiwan	
2	Automatic hydraulic station	Up to 20MPA	Shanghai	
3	Frequency converter	4KW CHE model /Inovance	Shenzhen	
4	Bottom	Schneider	German	
5	Temperature Controller	XMTG model/OMRON	Japan	
6	PLC	Inovance	Shenzhen	
7	Encoder	1000/OMRON	Japan	
8	Touch screen	FLEXEM	Shanghai	
9	Servo reducer	NINGBO ZHONGDA	Zhejiang	
10	Relay	OMRON	Japan	
11	Contactor	Schneider	German	
12	Bearing	NSK	Japan	
13	Heating pipe fittings	Customized	Jiangsu	
14	Rotary joint	High temperature type/Yujie	Quanzhou	
15	Rubber roller	EPDM	Taizhou	

Service and Warranty

- 1. All machines have been finished all adjustment and test in NEW STAR workshop before delivery, the mechanical structure, components adjustment, electrical operation of the switch, and the matters needing attention, day-to-day maintenance of equipment, etc., In order to ensure the normal operation of equipment, later.
- 2、 12 months for electric parts, the service is for whole life, once you asked the spare parts, we can send immediately, customer afford the courier fee. (Since the date of purchase from

delivery and on the board, within 12 months)

- 3. After receiving the notice from the customer for repairs, we will analyze it remotely, solve it, and give the customer a clear solution within 1 working day. Both parties can negotiate the time for after-sales service personnel to be in place, but our service personnel should arrive at the customer's designated service location within 48 hours.
- 4. After warranty, our company still provides customers with spare parts at preferential prices. And according to customer needs to provide customers with paid repairs and maintenance services. The company has sales branches or offices in 28 provinces and cities across the country and various countries in the world, which will greatly satisfy the sales and service capabilities of customers all over the world.